ELSEVIER

SPECTROCHIMICA ACTA
PART A

Spectrochimica Acta Part A 58 (2002) 3233–3260

Contents of Volume 58 (2002)

No. 1

S. Klokishner (Kishinev, Moldova), J. Melsheimer, R. Ahmad, F.C. Jentoft, G. Mestl and R. Schlögl (Berlin, Germany)	1	Influence of dehydration effects on the optical spectra of $H_4PVMo_{11}O_{40}$ in the visible and near infrared range: intra- and intercenter optical transitions in the V–Mo cluster
Z. Pawelka (Wroclaw, Poland), A.K. Chandra, T. Uchimaru (Ibaraki, Japan) and T. Zeegers-Huyskens (Heverlee, Belgium)	17	Theoretical and vibrational study of the conformation of 2-methoxy-1,2-diphenylethanone
H.M. Badawi, A. Al-Saadi and W. Förner (Dhahran, Saudi Arabia)	33	Substituent effects on structural stability of formyl ketene and analysis of vibrational spectra of formyl haloketenes and formyl methylketene
H. Yurtseven and İ.E. Çaglar (Istanbul, Turkey)	55	Calculation of the Brillouin frequencies close to phase transitions in $NaNO_2$
E.H. El-Mossalamy, A.S. Amin and A.A. Khalil (Benha, Egypt)	67	Charge transfer complexes of some oxazolones with iodine
M.S. Lowenthal, R.K. Khanna (College Park, MD, USA) and M.H. Moore (Greenbelt, MD, USA)	73	Infrared spectrum of solid isocyanic acid (HNCO): vibrational assignments and integrated band intensities
Z. Wen-Chen and W. Shao-Yi (Chengdu, Shenyang, People's Republic of China)	79	Electron paramagnetic resonance parameters of V^{2+} ions in both Cd^{2+} sites of $CsCdCl_3$ crystal
A.C. Gutierrez and M.H. Gehlen (Sao Carlos, Brazil)	83	Time resolved fluorescence spectroscopy of quercetin and morin complexes with Al^{3+}
J.R. Durig, P. Zhen, G.A. Guirgis and T.K. Gounev (Kansas City, MO, USA)	91	Infrared and Raman spectra, conformational stability, ab initio calculations of structure, and vibrational assignment of ethynylmethyl cyclobutane

1386-1425/02/$ - see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S1386-1425(02)00338-4

S. Panja and S. Chakravorti (Calcutta, India)	115	Photophysics of 4-(N,N dimethylamino)cinnamaldehyde/α-cyclodextrin inclusion complex
K. Nakashima, M. Tango, K. Araki and K. Takeuchi (Saga, Japan)	125	Room temperature phosphorescence of 6-bromo-2-naphthol in micelles of poly(ethylene oxide)–poly(propylene oxide)–poly(ethylene oxide) block copolymers and in their mixed aggregates with sodium dodecyl sulfate
M. Glerup (Copenhagen Ø, Roskilde, Denmark), G.O. Sørensen (Copenhagen Ø, Denmark), P. Beichert (Bremerhaven, Germany) and M.S. Johnson (Copenhagen Ø, Denmark)	131	Bonding in cis- and trans-dichlorobis(dimethylsulfide)platinum(II) studied by vibrational (micro)spectroscopy and force field calculations
B. Tang, Y. Wang (Jinan, PR China), Y. Sun and H. Xi Shen (Tianjin, PR China)	143	Spectrofluorimetric determination of hydrogen peroxide with 2-hydroxy-1-naphthaldehyde salicyloylhydrazone (HNSH) as the substrate for horseradish peroxidase (HRP)
R.M.S. Alvarez, E.H. Cutin (Tucumán, Argentina) and C.O. Della Védova (La Plata, Gonnet, Argentina)	151	Vibrational and theoretical studies of N-(fluorosulfonyl)imidosulfurous difluoride, $FSO_2N=SF_2$
M.M. Ayad, G.B. El-Hefnawy and G.W. Bahlol (Tanta, Egypt)	163	Charge transfer complexes of methylnaphthalene derivatives with TCNE in CCl_4
T.-C. Wen (Tainan, Taiwan, ROC), C. Sivakumar and A. Gopalan (Karaikudi, India)	169	In-situ spectroelectrochemical evidences for the copolymerization of o-toluidine with diphenylamine-4-sulphonic acid by UV-visible spectroscopy
H.T. Flakus and M. Chełmecki (Katowice, Poland)	181	Infrared spectra of the hydrogen bond in benzoic acid crystals: temperature and polarization effects
A. Koll, A. Filarowski (Wroclaw, Poland), D. Fitzmaurice, E. Waghorne (Dublin, Ireland), A. Mandal and S. Mukherjee (Calcutta, India)	199	Excited state proton transfer reaction of two new intramolecularly hydrogen bonded Schiff bases at room temperature and 77K
A. Šurkus (Šiauliai, Lithuania)	211	The radial Hamiltonian for the ground electronic state of KrH^+
A.T. Dubis and S.J. Grabowski (Piłsudskiego, Poland)	215	Vibrational spectrum of methyl pyrrole-2-carboxylate

No. 2

L. Zhang, H. Wei, Y. Zhang, Z. Guo and L. Zhu (Nanjing, People's Republic of China)	217	Ab initio study on far-infrared spectra of dihalodiammine complexes of Palladium(II) and Platinum(II)
H.T. Flakus, A. Miros (Katowice, Poland) and P.G. Jones (Braunschweig, Germany)	225	Polarization IR spectra of model crystals containing cyclic N–H...S bonded dimers: 2-mercaptothiazoline and 2-mercapto-1-methylimidazole
E.Y. Hashem and M.S. Saleh (Assiut, Egypt)	239	Solvent effects on the electronic absorption spectra and acid strength of some substituted pyridinols
J.-S. Yu, F.-D. Wei, W. Gao and C.-C. Zhao (Nanjing, People's Republic of China)	249	Thermodynamic study on the effects of β-cyclodextrin inclusion with berberine
L. Tarazi (Atlanta, GA, USA), N. Narayanan (Lincoln, NB, USA), J. Sowell, G. Patonay and L. Strekowski (Atlanta, GA, USA)	257	Investigation of the spectral properties of a squarylium near-infrared dye and its complexation with Fe(III) and Co(II) ions
H.D. Ruan, R.L. Frost, J.T. Kloprogge and L. Duong (Brisbane, Australia)	265	Far-infrared spectroscopy of alumina phases
S. Zhang, N. Li, F. Zhao, K. Li and S. Tong (Beijing, People's Republic of China)	273	Molecular spectroscopic studies on the interaction of glycosaminoglycans with brilliant cresol blue and its analytical application
C.Y. Panicker, H.T. Varghese (Kollam, India), A. John (Anchal, India), D. Philip (Thiruvananthapuram, India), K. Istvan and G. Keresztury (Budapest, Hungary)	281	FT-IR, FT-Raman and FT-SERS spectra of 4-aminosalicylic acid sodium salt dihydrate
S. Bhattacharya (Burdwan, India), S.K. Nayak, S. Chattopadhyay (Mumbai, India), M. Banerjee and A.K. Mukherjee (Burdwan, India)	289	Study of ground state EDA complex formation between [70]fullerene and a series of polynuclear aromatic hydrocarbons
H.T. Flakus, A. Tyl (Katowice, Poland) and P.G. Jones (Braunschweig, Germany)	299	'Self-organization' processes in proton and deuteron mixtures in open-chain hydrogen bond systems: polarization IR spectra of 4-mercaptopyridine crystals
K. Vasantha (Pudukkottai, India), P.A. Angeli Mary and S. Dhanuskodi (Tiruchirapalli, India)	311	EPR and optical absorption studies of VO(II)-doped zinc Tris thiourea sulfate

J. Wu Pepper, A.O. Wright and J.E. Kenny (Medford, MA, USA) 317 In situ measurements of subsurface contaminants with a multi-channel laser-induced fluorescence system

A.A. El-Bindary, A.Z. El-Sonbati, E. El-Mossalamy and R.M. Ahemd (Demiatta, Egypt) 333 Coordination modes of novel rhodanine azodye complexes

A. Suresh, D.K. Patre, T.G. Srinivasan and P.R.V. Rao (Tamilnadu, India) 341 A new procedure for the spectrophotometric determination of uranium(VI) in the presence of a large excess of thorium(IV)

N. Nijegorodov and R. Mabbs (Gaborone, Botswana) 349 Luminescence-laser classification of heteroaromatic and aromatic compounds

A. Gáplovský, J. Donovalová, P. Magdolen, Š. Toma and P. Zahradník (Bratislava, Slovak Republic) 363 Spectroscopic study of 2-[2-(4-cyclaminophenyl)-ethen-1-yl] benzothiazoles and their N-allylbenzothiazolium bromides. Solvent and substituent effects on their ultraviolet–visible and fluorescence spectra

M.S. Ibrahim and S.E.-d.H. Etaiw (Tanta, Egypt) 373 Supramolecular host–guest systems as frameworks for excitation energy transfer

H.-D. Amberger, S. Jank, H. Reddmann (Hamburg, Germany) and N.M. Edelstein (Berkeley, CA, USA) 379 Zur Elektronenstruktur hochsymmetrischer Verbindungen der f-Elemente. Teil 33. Erstmalige experimentelle Ableitung der Kristallfeld-Parameter eines trigonal-bipyramidal koordinierten Lanthanid(III)-Systems: $Pr[N(SiMe_3)_2]_3(CNR)_2$ (R = ^tBu, C_6H_{11})

T. Itoh (Kiyotake-cho, Japan), M. Yamaji and H. Shizuka (Kiryu, Japan) 397 Excited-state dynamical behavior of 1,4-anthraquinone in a fluid solution

No. 3

C.J.L. Constantino, T. Lemma, P.A. Antunes and R. Aroca (Windsor, Canada) 403 Single molecular detection of a perylene dye dispersed in a Langmuir–Blodgett fatty acid monolayer using surface-enhanced resonance Raman scattering

M. Alcolea Palafox (Madrid, Spain) and V.K. Rastogi (Sahibabad, India) 411 Quantum chemical predictions of the vibrational spectra of polyatomic molecules. The uracil molecule and two derivatives

R.L. Prasad and S.N. Thakur (Varanasi, India) 441 Photoacoustic spectra of some biological metal chelates

T.M. El-Gogary, A.A. El-Bindary and A.S. Hilali (Damietta, Egypt)	447	Temperature and substituent effects on the dissociation constants of 5-azorhodanine derivatives. Semi-empirical quantum mechanical calculation
R. Liu, J. Yang, X. Wu and C. Sun (Jinan, China)	457	Study on the resonance light scattering spectrum of berberine–cetyltrimethylammonium bromide system and the determination of nucleic acids at nanogram levels
V. Venkatesan, K. Sundararajan, K. Sankaran and K.S. Viswanathan (Kalpakkam, India)	467	Conformations of dimethoxymethane: matrix isolation infrared and ab initio studies
H.D. Ruan, R.L. Frost, J.T. Kloprogge and L. Duong (Brisbane, Australia)	479	Infrared spectroscopy of goethite dehydroxylation. II. Effect of aluminium substitution on the behaviour of hydroxyl units
M.A. El-Kemary, H.S. El-Gezawy, H.Y. El-Baradie (Kafr El-Sheikh, Egypt) and R.M. Issa (Tanta, Egypt)	493	Spectral and photophysical studies of inclusion complexes of 2-amino-4,6-dimethyl pyrimidine with β-cyclodextrin
N. Li, H. Luo, S. Liu (Chongqing, People's Republic of China) and G. Chen (Fuzhou, People's Republic of China)	501	Resonance Rayleigh scattering technology as a new method for the determination of the inclusion constant of β-cyclodextrin
D. Pathinettam Padiyan (Tirunelveli, India), C. Muthukrishnan (Srivaikuntam, India) and R. Murugesan (Madurai, India)	509	Single crystal EPR studies on Mn(II)-doped sarcosine cadmium chloride and sarcosine cadmium bromide: Study of zero-field splitting tensor in isostructural complexes
Y.Y. Efimov and Y.I. Naberukhin (Novosibirsk, Russia)	519	On the interrelation between frequencies of stretching and bending vibrations in liquid water
A.F. Jalbout (New Orleans, LA, USA), T. Jiang, L. Fengqi, C. Ding (Jilin, People's Republic of China) and A.M. Darwish (New Orleans, LA, USA)	525	Quantitative analysis of (styrene/acrylonitrile/methyl methacrylate) co-polymer systems by infrared resonance spectroscopy
Z. Wen-Chen (Chengdu, Shenyang, Shanghai, People's Republic of China), W. Shao-Yi (Chengdu, Shenyang, People's Republic of China), D. Hui-Ning (Chengdu, People's Republic of China) and Z. Jian (Shenyang, Shanghai, People's Republic of China)	537	Studies of electron paramagnetic resonance parameters and defect structures for Ti^{2+} and V^{3+} ions in CdS crystals

A. Adenier and J.J. Aaron (Paris, France)	543	A spectroscopic study of the fluorescence quenching interactions between biomedically important salts and the fluorescent probe merocyanine 540
H.T. Flakus and A. Machelska (Katowice, Poland)	553	Polarization IR spectra of hydrogen bonded pyrazole crystals: self-organization effects in proton and deuteron mixture systems. Long-range H/D isotopic effects
O.I. Fengler and A. Ruoff (Ulm, Germany)	567	Spectroscopic studies on polymeric cobalt(II) and nickel(II) complexes with bridging succinonitrile and succinonitrile isotopomer ligands
F. Bertinelli, P. Costa-Bizzarri, C. Della-Casa and M. Lanzi (Bologna, Italy)	583	Analysis of UV–Vis spectral profiles of solvatochromic poly[3-(10-hydroxydecyl)-2,5-thienylene]
J. Yang, H. Lin, M. Zheng and F. Bai (Beijing, People's Republic of China)	593	Fluorescence investigation of model compounds for light-emitting alternating copolymers in heterogeneous environments

No. 4

Special Issue: First Principles Rovibrational Spectroscopy
Edited by: Attila G. Császár

A.G. Császár (Budapest, Hungary)	599	Preface
J. Makarewicz and A. Skalozub (Poznan, Poland)	601	The rovibrational Hamiltonian for ammonia-like molecules
A.J.C. Varandas and S.P.J. Rodrigues (Coimbra, Portugal)	629	A realistic double many-body expansion potential energy surface for $SO_2(\tilde{X}^1A')$ from a multiproperty fit to accurate ab initio energies and vibrational levels
Y. Justum (Orsay, France), F. Gatti (Montpellier, France), D. Lauvergnat (Orsay, France), A. Nauts (Orsay, France; Louvain-la-Neuve, Belgium) and X. Chapuisat (Orsay, France)	649	One-dimensional quantum description of the bending vibrations of HCN/CNH for high values of the total angular momentum
J. Tennyson, P. Barletta, M.A. Kostin, O.L. Polyansky and N.F. Zobov (London, UK)	663	Ab initio rotation–vibration energy levels of triatomics to spectroscopic accuracy
G.J. Harris, O.L. Polyansky and J. Tennyson (London, UK)	673	Ab initio rotation–vibration spectra of HCN and HNC

R. Jaquet (Siegen, Germany)	691	First-principles rovibrational analysis of the H_3^+-molecule
C. Zhou (Albuquerque, NM, USA), D. Xie (Albuquerque, NM, USA; Sichuan, PR China), R. Chen (Albuquerque, NM, USA), G. Yan (Sichuan, PR China), H. Guo (Albuquerque, NM, USA), V. Tyng and M.E. Kellman (Eugene, OR, USA)	727	Quantum calculation of highly excited vibrational energy levels of $CS_2(\tilde{X})$ on a new empirical potential energy surface and semiclassical analysis of 1:2 Fermi resonance
Sudarko, J.M. Hughes and E.I. von Nagy-Felsobuki (Callaghan, Australia)	747	Ab initio vibration and ro-vibrational spectrum of the $^1A_1$ state of He_2Si^{2+}
P. Jensen, T.E. Odaka (Wuppertal, Germany), W.P. Kraemer (Garching, Germany), T. Hirano (Tokyo, Japan) and P.R. Bunker (Ottawa, Canada)	763	The Renner effect in triatomic molecules with application to CH_2^+, MgNC and NH_2
M. Mladenović (Gottingen, Germany)	795	Discrete variable approaches to tetratomic molecules: Part I: DVR(6) and DVR(3) + DGB methods
M. Mladenović (Gottingen, Germany)	809	Discrete variable approaches to tetratomic molecules: Part II: application to H_2O_2 and H_2CO
C. Léonard, N.C. Handy (Cambridge, UK), S. Carter (Reading, UK) and J.M. Bowman (Atlanta, GA, USA)	825	The vibrational levels of ammonia
J.M. Bowman, X. Huang and S. Carter (Atlanta, GA, USA)	839	Full dimensional calculations of vibrational energies of H_3O^+ and D_3O^+
D.W. Schwenke (Moffett Field, CA, USA)	849	Towards accurate ab initio predictions of the vibrational spectrum of methane
X.-G. Wang and E.L. Sibert III (Madison, WI, USA)	863	A perturbative calculation of the rovibrational energy levels of methane
I.A. Atkinson and M.M. Law (Aberdeen, UK)	873	The anharmonic potential energy surface of methyl fluoride
G.M. Chaban (Moffett Field, CA, USA) and R.B. Gerber (Irvine, CA, USA; Jerusalem, Israel)	885	Ab initio calculations of anharmonic vibrational spectroscopy for hydrogen fluoride $(HF)_n$ (n = 3, 4) and mixed hydrogen fluoride/water $(HF)_n(H_2O)_n$ (n = 1, 2, 4) clusters

No. 5

M.J. Bushiri and V.U. Nayar (Thiruvananthapuram, India)	899	Raman and FTIR spectra of $[Cu(H_2O)_6](BrO_3)_2$ and $[Al(H_2O)_6](BrO_3)_3 \cdot 3H_2O$
H. Fleischer (Mainz, Germany), D. C. McKean (Edinburgh, UK) and I. Torto (Aberdeen, UK)	911	A quantum-chemical study of the structure, vibrations and SiH bond properties of disilylamine, $NH(SiH_3)_2$
J. Koperski, M. Łukomski (Kraków, Poland) and M. Czajkowski (Windsor, Canada)	927	Laser excitation spectrum and spectroscopic potential parameters of Cd_2 molecule in the $1_u(5^3P_2)$ energy state
M. Bahat and Ş. Yurdakul (Ankara, Turkey)	933	Vibrational spectroscopic study on pyrimidine metal(II) tetracyanometalate complexes
D. Egan (Galway, Ireland), M. Salmain (Paris, France), P. McArdle (Galway, Ireland), G. Jaouen (Paris, France) and B. Caro (Lannion, France)	941	FT-IR observation of covalent labelling of lysozyme crystals by organometallic complexes of transition metals
L. Kloo (Stockholm, Sweden) and M.J. Taylor (Auckland, New Zealand)	953	Spectroscopic characterisation of indium(III) chloride and mixed ligand complexes
S.D.M. Allen, M.J. Almond, M.G. Bell, P. Hollins, S. Marks and J.L. Mortimore (Reading, UK)	959	Infrared spectroscopy of the mineralogy of coprolites from Brean Down: evidence of past human activities and animal husbandry
H.D. Ruan, R.L. Frost, J.T. Kloprogge and L. Duong (Brisbane, Australia)	967	Infrared spectroscopy of goethite dehydroxylation: III. FT-IR microscopy of in situ study of the thermal transformation of goethite to hematite
H.M. Badawi, W. Förner, B.F. Abu-Sharkh and Y.S. Oloriegbe (Dhahran, Saudi Arabia)	983	Two rotors potential scans and vibrational assignments for dihalomethylsulfonyl isocyanates
F. Kalincsák and G. Pongor (Budapest, Hungary)	999	Extension of the density functional derived scaled quantum mechanical force field procedure
T. Chakraborty and A.L. Verma (Meghalaya, India)	1013	Vibrational spectra of CCl_4: isotopic components and hot bands. Part I
A.G. Ryder, T.J. Glynn, M. Feely (Galway, Ireland) and A.J.G. Barwise (Sunbury, UK)	1025	Characterization of crude oils using fluorescence lifetime data

B. Minaev, O. Loboda, O. Vahtras, H. Ågren (Stockholm, Sweden) and E. Bilan (Cherkassy, Ukraine) 1039 Physical properties and spectra of IO, IO^- and HOI studied by ab initio methods

A.T. Kowal (Wrocław, Poland) 1055 Anharmonic vibrational spectra of hydroxylamine and its ^{15}N, ^{18}O, and deuterium substituted analogs

B. Ballesteros and L. Santos (Ciudad Real, Spain) 1069 A reinvestigation of the molecular structures, vibrations and rotation of methyl group in o-methylaniline in S_0 and S_1 states studied by laser induced fluorescence spectroscopy and ab initio calculations

D.Y. Naima, M.N. Odeh, M.A. Namou and A.W. Allaf (Damascus, Syria) 1083 Gas-phase generation and infrared spectroscopy of metastable OP-SCN molecule

S.V. Kalinin (Umeå, Sweden), J.G. Molotkovsky (Moscow, Russia) and L.B.Å. Johansson (Umeå, Sweden) 1087 Partial donor–donor energy migration (PDDEM) as a fluorescence spectroscopic tool for measuring distances in biomacromolecules

No. 6

Special Issue: Electron Magnetic Resonance at the Beginning of the 21st Century
Edited by: Nicola D. Yordanov

N.D. Yordanov (Sofia, Bulgaria) 1099 Preface

K.K. Andersson (Oslo, Norway) and A.-L. Barra (Grenoble, France) 1101 The use of high field/frequency EPR in studies of radical and metal sites in proteins and small inorganic models

J. Krzystek (Tallahassee, FL, USA), L.A. Pardi (Tallahassee, FL, USA; Pisa, Italy), L.-C. Brunel (Tallahassee, FL, USA), D.P. Goldberg (Baltimore, MD, USA), B.M. Hoffman (Evanston, IL, USA), S. Licoccia (Rome, Italy) and J. Telser (Chicago, IL, USA) 1113 High-frequency and -field electron paramagnetic resonance of high-spin manganese(III) in tetrapyrrole complexes

M.F. Ottaviani, G. Retini, M. Cangiotti, F. Mangani (Urbino, Italy) and U. Segre (Modena, Italy) 1129 Characterization of the surface interacting ability of carbon black by means of electron paramagnetic resonance analysis of adsorbed Cu^{2+}, supported by surface analysis and atomic absorption

L. Bonoldi, C. Busetto, A. Congiu, G. Marra, G. Ranghino, M. Salvalaggio, G. Spanò (Novara, Italy) and E. Giamello (Torino, Italy) 1143 An ESR study of titanium-silicalite in presence of H_2O_2

N.D. Yordanov, A. Dimitrova and D. Roussanova (Sofia, Bulgaria)	1155	EPR and electronic spectral studies of bis(dihalcogenocarbamato)copper(II)–solvent interactions
B.G. Jeliazkova, A. Dimitrova and N.D. Yordanov (Sofia, Bulgaria)	1163	Charge-transfer photochemistry of the ternary complex (dithio-diseleno-carbamato)copper(II)
N.D. Yordanov and K. Ranguelova (Sofia, Bulgaria)	1171	Effect of solute-co-ordinating solvent interactions and temperature on the EPR and electronic spectra of bis(dithiophosphato)copper(II)
M.A. Doicheva and B.G. Jeliazkova (Sofia, Bulgaria)	1181	Thermodynamics of ligand exchange reactions between bis(dithiocarbamato)copper(II) and copper(II) salts. An EPR study
Y. Deligiannakis (Agrinio, Greece), A. Ivancich and A.W. Rutherord (Gif-Syr-Yvette, France)	1191	2D-Hyperfine sublevel correlation spectroscopy of tyrosyl radicals
T. Shimokage, T. Ikoma, K. Akiyama and S. Tero-Kubota (Sendai, Japan)	1201	Electronic structure of the lowest excited triplet state of 5,12-naphthacenequinone
C.J. Rhodes (Liverpool, UK) and I.D. Reid (Villigen, Switzerland)	1209	A radiolabelling study of radicals derived from benzene, toluene and benzaldehyde sorbed in model environmental carbon
G. Grampp, S. Landgraf, K. Rasmussen and S. Strauss (Graz, Austria)	1219	Dimerization of organic free radicals in solution. 1. Temperature dependent measurements
M.B. Kadiiska and R.P. Mason (Research Triangle Park, NC, USA)	1227	In vivo copper-mediated free radical production: an ESR spin-trapping study
A.M. Wasserman, V.A. Kasaikin, Y.A. Zakharova, I.I. Aliev (Moscow, Russia), V.Y. Baranovsky, V. Doseva (Sofia, Bulgaria) and L.L. Yasina (Moscow, Russia)	1241	Molecular organization and dynamics of micellar phase of polyelectrolyte–surfactant complexes: ESR spin probe study
J.A. Pedersen (Aarhus, Denmark)	1257	On the application of electron paramagnetic resonance in the study of naturally occurring quinones and quinols
M.A. Morsy and M.M. Khaled (Dhahran, Saudi Arabia)	1271	Novel EPR characterization of the antioxidant activity of tea leaves
V. Brezová, M. Polovka and A. Staško (Bratislava, Slovak Republic)	1279	The influence of additives on beer stability investigated by EPR spectroscopy

A. Jezierski, F. Czechowski, M. Jerzykiewicz, I. Golonka, J. Drozd, E. Bylinska (Wroclaw, Poland), Y. Chen (Rehovot, Israel) and M.R.D. Seaward (Bradford, UK)	1293	Quantitative EPR study on free radicals in the natural polyphenols interacting with metal ions and other environmental pollutants
A. Lund, S. Olsson, M. Bonora, E. Lund and H. Gustafsson (Linköping, Sweden)	1301	New materials for ESR dosimetry
J. Raffi, S. Gelly, L. Barral, F. Burger, P. Piccerelle, P. Prinderre (Marseille, France), M. Baron and A. Chamayou (Albi, France)	1313	Electron paramagnetic resonance of radicals induced in drugs and excipients by radiation or mechanical treatments
F. Callens, G. Vanhaelewyn and P. Matthys (Gent, Belgium)	1321	Some recent multi-frequency electron paramagnetic resonance results on systems relevant for dosimetry and dating
A. Blank and H. Levanon (Jerusalem, Israel)	1329	Filling factor in a pulsed electron paramagnetic resonance experiment
T. Herrling, J. Rehberg (Berlin, Germany), K. Jung (Florence, Italy) and N. Groth (Berlin, Germany)	1337	SURF_ER—surface electron spin resonance (ESR) of the surface domain of large objects
		No. 7
	1345	Publisher's Announcement
J.O. Jensen (Aberdeen, MD, USA)	1347	Vibrational frequencies and structural determinations of hexamethylenetetraamine
A.A. El-Bindary, A.Z. El-Sonbati (Demiatta, Egypt), A. El-Dissouky (Alexandria, Egypt) and A.S. Hilali (Demiatta, Egypt)	1365	Stereochemistry, structural and models of novel 5-(4′-derivatives phenyldiazo)-3-phenyl-2-thioxo-4-thiazolidinone complexes
A.K. Ray, S. Bhattacharya, M. Banerjee and A.K. Mukherjee (Burdwan, India)	1375	Spectrophotometric study of molecular complex formation between o-chloranil and a series of methylated pyridines
A. Kumar, D.K. Rai and S.B. Rai (Varanasi, India)	1379	Optical properties of Nd^{3+} ions doped in oxyfluoroborate glass
W. Yi, S.G. Yu (Suwon, South Korea) and R. Bersohn (New York, NY, USA)	1389	The spin population difference of hydrogen atoms dissociated from mercury hydride molecules

W.A. Alves and R.B. Faria (Rio de Janeiro, Brazil)	1395	Vibrational investigation of the stretching region of bromate ion in solution
E.Y. Hashem (Assiut, Egypt)	1401	Spectrophotometric studies on the simultaneous determination of cadmium and mercury with 4-(2-pyridylazo)-resorcinol
A.Z. El-Sonbati, A.A. El-Bindary (Demiatta, Egypt) and I.G.A. Rashed (Mansoura, Egypt)	1411	Polymer complexes XXXVII novel models and structural of symmetrical poly-Schiff base on heterobinuclear complexes of dioxouranium(VI)
K. Laihia, E. Kolehmainen, R. Kauppinen (Jyväskylä, Finland), J. Lorenc and A. Puszko (Wroclaw, Poland)	1425	Multinuclear ^{1}H, ^{13}C and ^{15}N NMR study of some substituted 2-amino-4-nitropyridines and their N-oxides
S.Y. Hanna, M.Y. Shandala and S.M. Khalil (Mosul, Iraq)	1437	Solvent effects on OH stretching frequencies for 1-arylallyl alcohols
V. Karunakaran, P. Ramamurthy, T. Josephrajan and V.T. Ramakrishnan (Chennai, India)	1443	Solvent effects and photophysical studies of a new class of acridine(1,8)dione dyes
Y. Yokoyama (Yokohama, Japan), Y. Fukazawa (Ebina, Japan), T. Ito and H. Sato (Yokohama, Japan)	1453	Identification of unknown surfactants using electrospray mass spectrometry and NMR spectroscopy preceded by liquid ionization mass spectrometry
J.O. Jensen (Aberdeen Proving Ground, MD, USA)	1463	Vibrational frequencies and structural determinations of 3,5-dibromo-1,2,4-trithia-3,5-diborolane
P.A. Angeli Mary and S. Dhanuskodi (Tiruchirapalli, India)	1479	EPR and optical absorption studies of Cu^{2+} doped L-arginine phosphate monohydrate single crystals — part II
B. Kovač (Zagreb, Croatia) and I. Novak (Singapore, Singapore)	1489	Electronic structure of coumarins
Y. Sun, Z.-L. Yang, L. Zhang, T.-D. Hu (Beijing, People's Republic of China), R.D. Soloway (Galveston, TX, USA), S.-F. Weng and J.-G. Wu (Beijing, People's Republic of China)	1495	The interaction of Cu^{2+} ions and NaDC micelles
B.S. Ault and C. Erwin (Cincinnati, OH, USA)	1505	Matrix isolation infrared spectroscopic study of the interaction of CH_3ReO_3 with NH_3

A.M.F. Benial, V. Ramakrishnan and R. Murugesan (Madurai, India) 1511 Single crystal EPR of Cu(II) doped $Cd(C_5H_5NO)_6(BF_4)_2$—an example of reduced metal hyperfine coupling constant

M. Jelínek, J. Lančok (Prague, Czech Republic), R. Tomov (Sofia, Bulgaria) and Z. Zelinger (Prague, Czech Republic) 1519 Optical emission spectroscopy of nitrogen species and plasma plume induced by laser ablation combined with pulse modulated radio-frequency discharge

M. Iwaki, S. Andrianambinintsoa (Gif-sur-Yvette, France), P. Rich (London, UK) and J. Breton (Gif-sur-Yvette, France) 1529 Attenuated total reflection Fourier transform infrared spectroscopy of redox transitions in photosynthetic reaction centers: comparison of perfusion- and light-induced difference spectra

No. 8

V.K. Indirapriyadharshini, P. Ramamurthy, V. Raghukumar and V.T. Ramakrishnan (Chennai, India) 1535 Spectral and photophysical properties of 1,6-naphthyridine derivatives: a new class of compounds for nonlinear optics

C.Y. Panicker, H.T. Varghese (Kollam, India), A. John (Anchal, India), D. Philip (Thiruvananthapuram, India) and H.I.S. Nogueira (Aveiro, Portugal) 1545 Vibrational spectra of melamine diborate, $C_3N_6H_62H_3BO_3$

Z. Zhou (Qufu, Jinan, People's Republic of China), H. Gao, L. Guo, Y. Qu and X. Cheng (Qufu, People's Republic of China) 1553 Analysis of vibrational spectra of chlorotoluene based on density function theory calculations

S.B. Rai (Varanasi, India) 1559 Optical properties of Ho^{3+} doped oxyfluoroborate glass

KA.A. Ensafi (Isfahan, Iran) and M. Keyvanfard (Tehran, Iran) 1567 Kinetic-spectrophotometric determination of palladium in hydrogenation catalyst by its catalytic effect on the oxidation of pyrogallol red by hydrogen peroxide

A. Singh and L.W. Johnson (NY, USA) 1573 Planarity of metal chlorins in n-octane solution

M.D. Zidan and A.W. Allaf (Damascus, Syria) 1577 The gas-phase on-line production of phosphorus thiotrihalides, SPX_3 and their identification by infrared spectroscopy

A. Das, R. Das and K. Kumar (Shillong, India) 1583 Solvent dependent analysis of isotropic Raman band shape of C=O stretching vibration

M.S. Mehata, H.C. Joshi and H.B. Tripathi (Nainital, India)	1589	Steady state and time-resolved spectroscopic studies of 7-hydroxyquinoline in various polymeric matrices
J.-H. Choi, Y.P. Hong (Andong, South Korea) and Y.C. Park (Taegu, South Korea)	1599	Spectroscopic and ligand-field properties of [L-prolylglycinato][di(3-aminopropyl)amine]chromium(III) perchlorate
S. Chanlon and J. Georges (Villeurbane, France)	1607	Pulsed-laser mode-mismatched crossed-beam thermal lens spectrometry within a small capillary tube: effect of flow rate and beam offset on the photothermal signal
Ö. Tarı and H. Yurtseven (Istanbul, Turkey)	1615	Spectroscopic modifications of the Pippard relations for $NaNO_2$ in the sinusoidal antiferroelectric phase
A.Z. El-Sonbati, A.A. El-Bindary (Demiatta, Egypt), A. El-Dissouky (Egypt), T.M. El-Gogary and A.S. Hilali (Demiatta, Egypt)	1623	Substituents effect on the spectral studies on ruthenium(III) complexes of 5(-4′-derivatives phenyldiazo)-3-phenyl-2-thioxo-4-thiazolidinone
T. Misra, M. Maiti and T. Ganguly (Calcutta, India)	1631	Nature of non-radiative processes involved in the excited state of 9-cyanoanthracene in presence of 2-methylindole/2-methylindoline quenchers. A laser flash photolysis study to reveal the medium effects
J. Ouyang, K. Yakushi, T. Kinoshita, N. Nanbu, M. Aoyagi (Aichi, Japan), Y. Misaki and K. Tanaka (Kyoto, Japan)	1643	Assignment of the in-plane molecular vibrations of the electron-donor molecule BDT-TTP based on polarized Raman and infrared spectra, in which BDT-TTP is 2,5-bis(1,3-dithiol-2-ylidene)-1,3,4,6-tetrathiapentalene
R.L. Frost, J.T. Kloprogge and Z. Ding (Brisbane, Australia)	1657	Near-infrared spectroscopic study of nontronites and ferruginous smectite
S.F. Tayyari, F. Milani-Nejad (Mashhad, Iran) and H. Rahemi (Urmia, Iran)	1669	Structure and vibrational spectra of the enol form of hexafluoro-acetylacetone. A density functional theoretical study
S.F. Tayyari, H. Raissi and F. Tayyari (Mashhad, Iran)	1681	Vibrational assignment of 4-amino-3-penten-2-one
A.K. Jana (Pondicherry, India), S.K. Mukhopadhyay and B.B. Bhowmik (Calcutta, India)	1697	Absorption spectra of nitroanilines in micellar solution-II
A. Milton Franklin Benial, V. Ramakrishnan and R. Murugesan (Madurai, India)	1703	Infrared and laser Raman studies of [Ni(II)(dppe)Cl_2] and [Co(III)(dppe)$_2Cl_2$]PF_6 (dppe = 1,2-bis-(diphenylphosphino)ethane)

A.D. Naik, S.M. Annigeri, U.B. Gangadharmath, V.K. Revankar and V.B. Mahale (Dharwad, India)	1713	The stereochemical diversity of a new SNONS binucleating ligand towards 3d metal ions
R. Withnall and B.Z. Chowdhry (London, UK)	1721	Infrared and Raman spectra of 3,5-diamino-6-(o-C_6H_4X)-1,2,4-triazines [X = F, Cl, Br, CH_3]
R.J.H. Clark and S. Firth (London, UK)	1731	Raman, infrared and force field studies of $K_2^{12}C_2O_4 \cdot H_2O$ and $K_2^{13}C_2O_4 \cdot H_2O$ in the solid state and in aqueous solution, and of $(NH_4)_2^{12}C_2O_4 \cdot H_2O$ and $(NH_4)_2^{13}C_2O_4 \cdot H_2O$ in the solid state
J.-S. Seo, B.-S. Cheong and H.-G. Cho (Incheon, South Korea)	1747	Solvation of $LiClO_4$ and $NaClO_4$ in deuterated acetonitrile studied by means of infrared and Raman spectroscopy
M. Łukomski, J. Koperski (Kraków, Poland) and M. Czajkowski (Windsor, Canada)	1757	Double-well potential energy curve of cadmium–krypton molecule in the $B1(5^3P_1)$ excited state
E.V. Brusau, G.E. Narda, J.C. Pedregosa (San Luis, Argentina) and E.L. Varetti (La Plata, Argentina)	1769	A low temperature infrared study of the coordinated water in calcium malonate dihydrate
J. Yang (Jinan, China), F. Huang (Basel, Switzerland), M. Wang (Duke, USA), X. Wu and C. Sun (Jinan, China)	1775	Study on the molecular recognitions of calix[n]arenes to 2,3-diaminonaphthalene by using fluorometric technique
Z. Wen-Chen (Chengdu, Shenyang, People's Republic of China) and W. Shao-Yi (Chengdu, Shenyang, People's Republic of China)	1779	Local tilting angles τ for Fe^+ in Cd^{2+} site and Fe^{3+} in Si^{4+} site of $CdSiP_2$ semiconductor
H.O. Desseyn, B. Slootmaekers and G. Lemière (Antwerp, Belgium)	1785	Monothioacids as novel chelating groups. The Au(III) complexes of N-methylthioamide monothiooxamic acid
O.E. Kasende (Kinshasa XI, Congo)	1793	Infrared spectra of 6-thioguanine tautomers. An experimental and theoretical approach
Y.C. Ratnakaram, A.V. Reddy (Kavali, India) and R.P.S. Chakradhar (Bangalore, India)	1809	Electronic absorption spectra and energy gap studies of Er^{3+} ions in different chlorophosphate glasses
H. Yurtseven and D. Kayişoğlu (Istanbul, Turkey)	1823	Critical behavior of the disorder-induced Raman modes close to the λ-phase transition in NH_4Cl

No. 9

A.S. Amin (Benha, Egypt)	1831	Simple and selective spectrophotometric determination of ruthenium after solid phase extraction with some quinoxaline dyes into microcrystalline p-dichlorobenzene
G.A. Guirgis, C. Pan and J.R. Durig (Kansas City, MO, USA)	1839	Spectra and structure of silicon-containing compounds. XXX. Raman and infrared spectra, conformational stability, vibrational assignment of chloromethyl silyl dichloride
C.A. Téllez, E. Hollauer, J. Felcman, D.C.N. da Silva and R.A. Cattapan (Rio de Janeiro, Brazil)	1853	Fourier-transform infrared and Raman spectra, and ab initio calculations for cadmium-n-di-iso-propylphosphorylguanidine-di-chloride ($CdDPGCl_2$) complex
H.T. Flakus and M. Chełmecki (Katowice, Poland)	1867	Polarization IR spectra of the hydrogen bond in phenylacetic acid crystals: H/D isotopic effects: Temperature and polarization effects
R.L. Frost, J.T. Kloprogge and Z. Ding (Brisbane, Australia)	1881	The Garfield and Uley nontronites—an infrared spectroscopic comparison
A.A.A. Boraei (El-Minia, Egypt)	1895	Spectroscopic study on charge transfer molecular complexes of pyrazole derivatives with some π-electron acceptors
P. Naumov, G. Jovanovski and A. Todorovska (Skopje, Macedonia)	1903	Vibrational studies of the solid imidazole and pyridine adducts of metal(II) saccharinates. III. Zn(II) and Hg(II) imidazole saccharinates
W. Brockner and L.P. Hoyer (Clausthal-Zellerfeld, Germany)	1911	Synthesis and vibrational spectrum of antimony phosphate, $SbPO_4$
J. Zhang, L. Liu, T. Ma and X. Deng (Dalian, People's Republic of China)	1915	Rotational temperature of nitrogen glow discharge obtained by optical emission spectroscopy
B.J.M. Rajkumar and V. Ramakrishnan (Madurai, India)	1923	Infrared and laser Raman studies of L-phenylalanine L-phenylalaninium perchlorate and bis(DL-phenylalaninium) sulphate monohydrate
R. Liu, J. Yang and X. Wu (Jinan, People's Republic of China)	1935	Interaction of cetylpyridine bromide with nucleic acids and determination of nucleic acids at nanogram levels based on the enhancement of resonance Rayleigh light scattering

M. Akiyama (Tokyo, Japan)	1943	Study on hydration enthalpy of N-methylacetamide in water
O. Tishchenko, E.S. Kryachko and M.T. Nguyen (Leuven, Belgium)	1951	Theoretical vibrational analysis of monohalogenated phenols
J. Corset, M. Castellà-Ventura, F. Froment (Thiais, France), T. Strzalko and L. Wartski (Orsay, France)	1971	Structural and vibrational characterization of the mono and dilithiated species derived from phenylacetonitrile in THF by infrared and Raman spectroscopy and density functional theory calculations
V.K. Rastogi (Merrut, India), M.A. Palafox (Madrid, Spain), R.P. Tanwar and L. Mittal (Sahibabad, India)	1987	3,5-Difluorobenzonitrile: ab initio calculations, FTIR and Raman spectra
B. Sengupta, J. Guharay, A. Chakraborty and P.K. Sengupta (Calcutta, India)	2005	Low temperature luminescence behaviours of 7-azatryptophan, 5-hydroxytryptophan and their chromophoric moieties
H. Moustafa, S.H. Shalaby, K.M. El-sawy and R. Hilal (Giza, Egypt)	2013	Electronic structure of some adenosine receptor antagonists. III. Quantitative investigation of the electronic absorption spectra of alkyl xanthines
R. Polák (Prague, Czech Republic; Waterloo, Canada) and J. Fišer (Prague, Czech Republic)	2029	Multireference CI calculation of nuclear quadrupole coupling constants of CN^+ and CN^-: rovibrational dependence
Y.P. Tsentalovich (Novosibirsk, Russia), J.J. Lopez, P.J. Hore (Oxford, UK) and R.Z. Sagdeev (Novosibirsk, Russia)	2043	Mechanisms of reactions of flavin mononucleotide triplet with aromatic amino acids
D. Stoilova, V. Koleva and V. Vassileva (Sofia, Bulgaria)	2051	Infrared study of some synthetic phases of malachite ($Cu_2(OH)_2CO_3$)–hydrozincite ($Zn_5(OH)_6(CO_3)_2$) series
Z. Zhou (Qufu, Jinan, People's Republic of China), X. Zhou, H. Fu and L. Tian (Qufu, People's Republic of China)	2061	Vibrational spectroscopic study of the electron transfer for the $Cl^- + CH_3Cl$ S_N2 reaction in the gas phase
		No. 10
	2069	Obituary: Arnold Hoff (1939–2002)
A.F. Jalbout (New Orleans, LA, USA), T. Jiang, L. Fengqi (Jilin, People's Republic of China) and F.N. Jalbout (New Orleans, LA, USA)	2071	Dynamic mechanical analysis of the SAN co-polymer and the SBR latex co-mixture

E. Díaz, H. Barrios, D. Corona, A. Guzmán (Coyoacán, Mexico), R. Díaz and A. Fuentes (Toluca, Mexico)	2079	2D ^{1}H and ^{13}C NMR evidences of the [2 + 2] autodimerization of 2-benzyl-5-benzylidene cyclopentanone yielding two different diphenyl, dispiro cyclobutane derivatives
Y. Wang, Z. Zhang, H. Liu, X. Xu, G. Pan, Z. Guo, Y. Liu, X. Han and G. Lan (Tianjin, People's Republic of China)	2089	The effect of catalyst concentration on the synthesis of single-wall carbon nanotubes
J. Wang, Y. Wu (Xinxiang, People's Republic of China), X. Xuan (Xinxiang, Lanzhou, People's Republic of China) and H. Wang (Lanzhou, People's Republic of China)	2097	Ion–molecule interactions in solutions of lithium perchlorate in propylene carbonate + diethyl carbonate mixtures: an IR and molecular orbital study
Z. Zhang and G.E. Ewing (Bloomington, IN, USA)	2105	Infrared spectroscopy of SO_2 aqueous solutions
A. Kumar, D.K. Rai and S.B. Rai (Varanasi, India)	2115	Optical studies of Eu^{3+} ions doped in tellurite glass
J. Peszke and W. Śliwa (Częstochowa, Poland)	2127	AM1 CI and ZINDO/S study of quaternary salts of diazaphenanthrenes with haloalkanes
R. Dworczak, W.M.F. Fabian, C. Reidlinger, A. Rumpler, J. Schachner and K. Zangger (Graz, Austria)	2135	Nonlinear optical properties of diazabutadienes and -hexatrienes; experimental and computational aspects
A.K. Rai, S.B. Rai, D.K. Rai and V.B. Singh (Varanasi, India)	2145	Spectroscopic studies and normal coordinate analysis of bilirubin
Y.-L. Zhang, W.-W. Qin, W.-S. Liu, M.-Y. Tan and N. Tang (Lanzhou, People's Republic of China)	2153	Studies on synthesis and infrared and fluorescence spectra of new europium and terbium complexes with an amide-based open-chain crown ether
V.P. Evangelou, M. Marsi and M.A. Chappell (Ames, IA, USA)	2159	Potentiometric–spectroscopic evaluation of metal-ion complexes by humic fractions extracted from corn tissue
A. Singh, W.-Y. Huang and L.W. Johnson (Jamaica, NY, USA)	2177	Determination of the ground state, excited state and change in dipole moments of magnesium and zinc chlorin
W.-Q. Long, Z.-X. Zhang and L.-D. Li (Beijing, People's Republic of China)	2185	Studies on properties and application of non-protected room temperature phosphorescence of propranolol

W. Jastrzebski, P. Kowalczyk, R. Nadyak (Warsaw, Poland) and A. Pashov (Warsaw, Poland; Sofia, Bulgaria)	2193	Spectroscopic study of the $E(4)^1\Sigma^+$ state in NaLi
V.T. Kasumov (Sanliurfa, Turkey) and F. Köksal (Samsun, Turkey)	2199	Synthesis, spectroscopic characterization and EPR studies on electron transfer reactions of bis[N-(2,5-di-tert-butylphenyl)salicylaldiminato]copper complexes with PPh_3
M. Kihara, M. Takayama, H. Warishi and H. Tanaka (Fukuoka, Japan)	2213	Determination of the carbonyl groups in native lignin utilizing Fourier transform Raman spectroscopy
I. Novak (Singapore, Singapore), B. Kovač and G. Kovačević (Zagreb, Croatia)	2223	Structure and stability of common sesquiterpenes
H. Xiao, D. Xie and Y. Xue (Chengdu, People's Republic of China)	2227	Density functional theory studies on the structures and vibrational spectra of 3,6-dichlorocarbazole and 3,6-dibromocarbazole
J.E. Eldridge (Vancouver, Canada), H.H. Wang, A.M. Kini and J.A. Schlueter (Argonne, IL, USA)	2237	Assignment of the Raman spectra of some deuterated-BEDT-TTF superconductors
J. Spanget-Larsen (Roskilde, Denmark)	2245	Electronic states of 1,6,6aλ^4-trithiapentalene and its 2,5-dimethyl and 2,5-diphenyl derivatives. Ultraviolet-visible linear dichroism spectroscopy and time-dependent density functional theory calculations
B. Bilińska, B. Pilawa, Z. Zawada (Sosnowiec, Poland), E. Wylęgała (Katowice, Poland), T. Wilczok (Sosnowiec, Poland), A.E. Dontsov, N.L. Sakina, M.A. Ostrovsky and V.B. Ilyasova (Moscow, Russia)	2257	Electron spin resonance investigations of human retinal pigment epithelium melanosomes from young and old donors
N. Khan, M.S. Ansari and Z. Baber (Islamabad, Pakistan)	2265	Diastereotopic effect in some N-substituted-3-methyl-4,1-benzoxazepine-2,5-diones
A. Jähn, M.W. Schröder, M. Füting, K. Schenzel and W. Diepenbrock (Halle, Germany)	2271	Characterization of alkali treated flax fibres by means of FT Raman spectroscopy and environmental scanning electron microscopy

E. Otazo-Sánchez (Pachuca, Mexico; La Habana, Cuba), P. Ortiz-del-Toro, O. Estévez-Hernández (La Habana, Cuba), L. Pérez-Marín (La Habana, Cuba; Toluca, Mexico), I. Goicoechea (La Habana, Cuba), A. Cerón Beltran and J.R. Villagómez-Ibarra (Pachuca, Mexico) 2281 Aroylthioureas: new organic ionophores for heavy metal ion selective electrodes. A nuclear magnetic resonance study

D.-M. Chen, Y.-H. Zhang, T.-J. He and F.-C. Liu (Hefei, People's Republic of China) 2291 Raman and UV–visible absorption spectra of ion-paired aggregates of copper porphyrins

J.O. Jensen (Aberdeen Proving Gr., MD, USA) 2299 Vibrational frequencies and structure of B_4Cl_4: an ab intio quantum chemical study

No. 11

Special Issue: Third International Conference on Tunable Diode Laser Spectroscopy (TDLS 2001)
Edited by: Arlan W. Mantz, Alexander I. Nadezhdinskii

A.W. Mantz and A.I. Nadezhdinskii (New London, CT, USA) 2311 Preface

C. Claveau (Paris, France), M. Lepère (Namur, Belgium), G. Dufour, A. Valentin, A. Henry, C. Camy-Peyret (Paris, France) and D. Hurtmans (Brussels, Belgium) 2313 Diode laser emission linewidth determination: Application to H_2O line profile studies in the 5 and 1.4 μm regions

Y.G. Zhang, K.J. Nan and A.Z. Li (Shanghai, PR China) 2323 Characterization of InAlAs/InGaAs/InP mid-infrared quantum cascade lasers

M. Loewenstein, H. Jost, J. Grose, J. Eilers, D. Lynch, S. Jensen and J. Marmie (Moffett Field, CA, USA) 2329 Argus: a new instrument for the measurement of the stratospheric dynamical tracers, N_2O and CH_4

E. Schlosser, T. Fernholz, H. Teichert and V. Ebert (Heidelberg, Germany) 2347 In situ detection of potassium atoms in high-temperature coal-combustion systems using near-infrared-diode lasers

P. Werle, K. Maurer (Garmisch-Partenkirchen, Germany), R. Kormann (Mainz, Germany), R. Mücke (Regensburg, Germany), F. D'Amato (Pisa, Italy), T. Lancia (Manno, Switzerland) and A. Popov (St. Petersburg, Russia) 2361 Spectroscopic gas analyzers based on indium-phosphide, antimonide and lead-salt diode-lasers

G. Kidd (Kitchener, Canada)	2373	An open path H_2O/CO_2 gas analyzer for eddy correlation systems: theory and design
E.R.T. Kerstel (Groningen, The Netherlands), G. Gagliardi, L. Gianfrani (Caserta, Italy), H.A.J. Meijer, R. van Trigt and R. Ramaker (Groningen, The Netherlands)	2389	Determination of the $^2H/^1H$, $^{17}O/^{16}O$, and $^{18}O/^{16}O$ isotope ratios in water by means of tunable diode laser spectroscopy at 1.39 μm
V.A. Kapitanov (Tomsk, Russia), V. Zeninari, B. Parvitte, D. Courtois (Reims, France) and Y.N. Ponomarev (Tomsk, Russia)	2397	Optimisation of photoacoustic resonant cells with commercial microphones for diode laser gas detection
A. Vicet, D.A. Yarekha, A. Pérona, Y. Rouillard, S. Gaillard and A.N. Baranov (Montpellier, France)	2405	Trace gas detection with antimonide-based quantum-well diode lasers
M. Lepère (Namur, Belgium), A. Valentin, A. Henry, C. Camy-Peyret (Paris, France), G. Blanquet, J.C. Populaire (Namur, Belgium) and A.W. Mantz (Paris, France; New London, CT, USA)	2413	Pressure broadening study at low temperature: application to methane
R.F. Gobeille and A.W. Mantz (New London, CT, USA)	2421	Corrections to measured sample pressures in low temperature collisional cooling experiments
U. Willer, D. Scheel, I. Kostjucenko, C. Bohling, W. Schade (Clausthal-Zellerfeld, Germany) and E. Faber (Hannover, Germany)	2427	Fiber-optic evanescent-field laser sensor for in-situ gas diagnostics
V. Weldon, K. Boylan (Dublin, Ireland), B. Corbett (Cork, Ireland), D. McDonald and J. O'Gorman (Dublin, Ireland)	2433	A novel single frequency stabilized Fabry–Perot laser diode at 1590 nm for gas sensing
G. Kidd (Kitchener, Canada)	2439	Method to synthesize polynomial current waveforms and intensity compensation functions for DFB lasers in digital sweep integration gas analyzers
L. Sandström (Göteborg, Sweden) and D. Malmberg (Luleå, Sweden)	2449	On-line and in situ monitoring of oxygen concentration and gas temperature in a reheating furnace utilizing tunable diode-laser spectroscopy
D. Wirtz, G. Sonnabend and R.T. Schieder (Köln, Germany)	2457	THIS: a tuneable heterodyne infrared spectrometer

J.B. McManus, M.S. Zahniser, D.D. Nelson, L.R. Williams and C.E. Kolb (Billerica, MA, USA)	2465	Infrared laser spectrometer with balanced absorption for measurement of isotopic ratios of carbon gases
A. Bruno, G. Pesce, G. Rusciano and A. Sasso (Napoli, Italy)	2481	Detection and spectroscopy of the $\nu_1 + \nu_3$ band of N_2O by difference-frequency spectrometer at 3 μm
R. Kormann, H. Fischer, C. Gurk, F. Helleis, T. Klüpfel, K. Kowalski, R. Königstedt, U. Parchatka and V. Wagner (Mainz, Germany)	2489	Application of a multi-laser tunable diode laser absorption spectrometer for atmospheric trace gas measurements at sub-ppbv levels
M. Wangler, D.A. Roth (Köln, Germany), V.M. Krivtsun, I. Pak (Köln, Germany; Moscow, Russia), G. Winnewisser (Köln, Germany), M. Geleijns, P.E.S. Wormer and A. van der Avoird (Nijmegen, The Netherlands)	2499	High resolution TDL spectroscopy of the Ar–CH_4 complex
S. Plunkett, M.E. Parrish, K.H. Shafer (Richmond, VA, USA), J.H. Shorter, D.D. Nelson and M.S. Zahniser (Billerica, MA, USA)	2505	Hydrazine detection limits in the cigarette smoke matrix using infrared tunable diode laser absorption spectroscopy
M. Suzuki, K. Katoh and N. Nishimiya (Kanagawa, Japan)	2519	Saturated absorption spectroscopy of Xe using a GaAs semiconductor laser
S. Schilt, L. Thévenaz, E. Courtois and P.A. Robert (Lausanne, Switzerland)	2533	Ethylene spectroscopy using a quasi-room-temperature quantum cascade laser
		No. 12
A.S. Amin and H.A. Dessouki (Benha, Egypt)	2541	Facile colorimetric methods for the quantitative determination of tetramisole hydrochloride
S. De, A. Girigoswami and S. Mandal (West Bengal, India)	2547	Enhanced fluorescence of triphenylmethane dyes in aqueous surfactant solutions at supramicellar concentrations—effect of added electrolyte
B. Tang, Y. Wang and Z.-z. Chen (Jinan, People's Republic of China)	2557	Catalytic spectrofluorimetric determination of superoxide anion radical and superoxide dismutase activity using N,N-dimethylaniline as the substrate for horseradish peroxidase (HRP)
S. Bhattacharya, M. Banerjee and A.K. Mukherjee (Burdwan, India)	2563	Absorption spectrometric study of molecular complex formation between [60]fullerene and a series of methylated pyridines

R.P. McLaughlin, B. Bird and P.J. Reid (Seattle, WA, USA)	2571	Vibrational analysis of isopropyl nitrate and isobutyl nitrate
Y. Song, I.S. Butler and A. Shaver (Montreal, Canada)	2581	High-pressure vibrational study of the catalyst candidate cis-dimercaptobis(triphenylphosphine)platinum(II), cis-$[(Ph_3P)_2Pt(SH)_2]$
A.A. Ensafi, B. Rezaei and H. Movahedinia (Isfahan, Iran)	2589	Kinetic–spectrophotometric determination of ascorbic acid by inhibition of the hydrochloric acid–bromate reaction
K. Wang (Chengdu, China), S. Stringfellow, S. Dong, Y. Jiao and H. Yu (Jackson, MS, USA)	2595	Synthesis and fluorescence study of 7-azaindole in DNA oligonucleotides replacing a purine base
S.-C. Liang, H. Wang, Z.-M. Zhang, X. Zhang and H.-S. Zhang (Wuhan, People's Republic of China)	2605	Spectrofluorimetric determination of cysteine by 5-maleimidyl-2-(m-methylphenyl)benzoxazole
S. Zhang, F. Zhao, N. Li, K. Li and S. Tong (Beijing, PR China)	2613	Spectroscopic studies on the spontaneous assembly of phenosafranin on glycosaminoglycans templates
H.P. Martins Filho (Curitiba, Brazil)	2621	Molecular orbital anharmonic estimates for the infrared spectrum of CO_2
L. Vrielynck, N. Dupuy, G. Coustillier and J.-C. Merlin (Villeneuve d'Ascq, France)	2633	Self-modelling analysis applied to nanosecond transient absorption spectroscopy of flavone: an aid to elucidate and characterise reaction intermediates
A.F. Jalbout and T. Jiang (New Orleans, LA, USA)	2647	Refractive indices for various co-polymer mixtures of styrene, acrylonitrile, and methyl methacrylate
U.B. Gangadharmath, V.K. Revankar and V.B. Mahale (Dharwad, India)	2651	Synthesis and spectroscopic characterization of cationic mononuclear oxovanadium(IV) complexes with tetradentate Schiff bases as ligands
H. Jiang, L. Tongxin and H. Zhide (Lanzhou, People's Republic of China)	2659	The fluorescence study of the inclusion coordinated compound of β-cyclodextrin and p-hydroxyphenolacetamide and its analytical applications
S.F. Tayyari, H. Raissi and Z. Ahmadabadi (Mashhad, Iran)	2669	Vibrational assignment of aluminum(III) Tris–acetylacetone
M.M. Gafurov, A.R. Aliev and I.R. Akhmedov (Makhachkala, Russia)	2683	Raman and infrared study of the crystals with molecular anions in the region of a solid–liquid phase transition
P. Beltrame (Milan, Italy), E. Cadoni, C. Floris, G. Gelli and A. Lai (Monserrato, Italy)	2693	^{15}N and ^{13}C NMR study of protonated monoaminopyridines in $CDCl_3$–DMSO

K. Yamamoto and N. Yoshida (Yokohama, Tokyo, Japan)	2699	High-precision isotopic ratio measurement system for methane ($^{12}CH_3D/^{12}CH_4$,$^{13}CH_4/^{12}CH_4$) by using near-infrared diode laser absorption spectroscopy
J. Koperski, M. Łukomski (Kraków, Poland) and M. Czajkowski (Windsor, Canada)	2709	Laser spectroscopy of CdKr molecules in ultraviolet region
J.H.Z. dos Santos, I.S. Butler (Montreal, Canada), V. Daga, S. Hadjikakou and N. Hadjiliadis (Ioannina, Greece)	2725	High-pressure Fourier transform micro-Raman spectroscopic investigation of diiodine-heterocyclic thioamide adducts
N. Someswara Rao, G. Babu Rao, B.N. Murthy, M.M. Das, T. Prabhakar (Visakhapatnam, India) and M. Lalitha (Thiruchirapally, India)	2737	Natural abundance nitrogen-15 nuclear magnetic resonance spectral studies on selected donors
Z. Jiang (Guilin, Chongqing, PR China), Q. Liu (Guilin, PR China) and S. Liu (Chongqing, PR China)	2759	Resonance scattering spectral analysis of chlorides based on the formation of $(AgCl)_n(Ag)_s$ nanoparticle
A.S. Shalabi, H.A. Dessouki (Benha, Egypt), Y.M. Issa (Cairo, Egypt) and I.S. Ahmed (Benha, Egypt)	2765	Spectral studies and molecular orbital PPP-calculations of some azo-dyes
A.Z. El-Sonbati, A.A. El-Bindary (Demiatta, Egypt) and A.A. Al-Sarawy (Mansoura, Egypt)	2771	Stereochemistry of new nitrogen containing heterocyclic aldehyde. IX. Spectroscopic studies on novel mixed-ligand complexes of Rh(III)
A. Ouasri, A. Rhandour (Kenitra, Morocco), M.C. Dhamelincourt, P. Dhamelincourt and A. Mazzah (Villeneuve d'Ascq, France)	2779	Vibrational study of $(CH_3)_4NSbCl_6$ and $[(CH_3)_4N]_2SiF_6$
B.S. Garg, R.K. Sharma, V. Kumar, M.J. Reddy and S. Mittal (Delhi, India)	2789	Synthesis and studies on metal coordination with a novel carboxyamide ligand
Y. Jin, K. Tonan and S.-i. Ikawa (Sapporo, Japan)	2795	Competitive formation of 10- and 7-membered hydrogen-bonded rings of proline-containing model peptides
	No. 13	
L. Yang, Y. Zhao, Y. Su and J. Wu (Beijing, People's Republic of China)	2803	Luminescence studies on europium–strontium phthalate system

C. Jianbin, C. Liang, X. Hao and M. Dongpin (TaiYuan, PR China)	2809	Preparation and study on the solid inclusion complex of ciprofloxacin with β-cyclodextrin
X. Meng-Xia and L. Yuan (Beijing, People's Republic of China)	2817	Studies on the hydrogen bonding of aniline's derivatives by FT-IR
J. Hu, B. Zhao, W. Xu, B. Li and Y. Fan (Changchun, PR China)	2827	Surface-enhanced Raman spectroscopy study on the structure changes of 4-mercaptopyridine adsorbed on silver substrates and silver colloids
A.A. Ensafi and M.A. Chamjangali (Isfahan, Iran)	2835	Flow-injection spectrophotometric determination of periodate and iodate by their reaction with pyrogallol red in acidic media
S. Bhattacharya (Burdwan, India), A. Sharma, S.K. Nayak (Mumbai, India) and A.K. Mukherjee (Burdwan, India)	2841	Vertical ionisation potentials of a number of crown ethers from charge transfer bands of their EDA complexes
R.L. Frost (Brisbane, Australia), É. Makó, J. Kristóf (Veszprem, Hungary) and J.T. Kloprogge (Brisbane, Australia)	2849	Modification of kaolinite surfaces through mechanochemical treatment—a mid-IR and near-IR spectroscopic study
R.L. Frost, T. Kloprogge (Brisbane, Australia), P.A. Williams (Penrith, Australia), W. Martens, T.E. Johnson (Brisbane, Australia) and P. Leverett (Penrith, Australia)	2861	Vibrational spectroscopy of the basic copper phosphate minerals: pseudomalachite, ludjibaite and reichenbachite
F. Cunin, F. Favier and J.L. Pascal (Montpellier, France)	2869	The bridging bidentate perchlorato group in $ReO_3(ClO_4)$, $ReO_3(ClO_4)Cl_2O_6$ and $Sb_2Cl_6(O)(OH)(ClO_4)$, a vibrational analysis
A.A. Al-Kahtani (Riyadh, Saudi Arabia)	2877	Structural and vibrational study of the $C_i(1)$ conformation of 18-crown-6
Z. Chen, C. Zhang (Taiyuan, PR China) and F. Bai (Beijing, PR China)	2885	Photophysical processes of a copolymer containing 1,1′-binaphthyl-2,2′-diamino and carbazolyl units
Y. Liu, N. Zhang, B.T. Zhao and H.Y. Zhang (Tianjin, PR China)	2889	Spectroscopic behavior on the formation complex of three double-armed calix[4]arene derivatives with lanthanoid nitrates in acetonitrile
A. Pawlukojć (Dubna, Russia; Warsaw, Poland), J. Leciejewicz (Warsaw, Poland), J. Tomkinson and S.F. Parker (Chilton, UK)	2897	Neutron spectroscopic study of hydrogen bonding dynamics in L-serine

V.L. Furer, V.I. Kovalenko, A.E. Vandyukov (Kazan, Russia), J.P. Majoral and A.M. Caminade (Toulouse, France)	2905	Calculation of IR spectra of the elementoorganic dendrimers
S.A. Grebenyuk, I.F. Perepichka and A.F. Popov (Donetsk, Ukraine)	2913	Evaluation of the parameters of 1:1 charge transfer complexes from spectrophotometric data by non-linear numerical method
B. Roig, E. Touraud and O. Thomas (Alès, France)	2925	Photochemical reaction monitoring by ultra-violet spectrophotometry
S. Kothai Nayaki and M. Swaminathan (Annamalainagar, India)	2931	Unusual luminescence characteristics of aminobiphenyls
M. Umadevi and V. Ramakrishnan (Madurai, India)	2941	Spectral investigations on 1,4-dimethylamino anthraquinone under laser excitation
R. Nejjar, L. Rghioui, L. Benarafa, M. Knidiri (Rabat, Morocco), A. Lorriaux and F. Wallart (Villeneuve d'Ascq, France)	2951	Etude vibrationnelle des monophosphates $SrM_2(PO_4)_2$ avec M = Co, Ni
R.N. Patel, S. Kumar (Rewa, India), K.B. Pandeya (Kanpur, India) and P.V. Khadikar (Rewa, India)	2961	Paramagnetic resonance in imidazolate-bridged homobinuclear (copper–copper) and heterobinuclear (copper–zinc) complexes
C.S. Oliveira, K.P. Branco, M.S. Baptista (São Paulo, Brazil) and G.L. Indig (Madison, WI, USA)	2971	Solvent and concentration effects on the visible spectra of tri-para-dialkylamino-substituted triarylmethane dyes in liquid solutions
V. Setnička, M. Urbanová, V. Král and K. Volka (Praha, Czech Republic)	2983	Interactions of cyclodextrins with aromatic compounds studied by vibrational circular dichroism spectroscopy
L. Pejov and V.M. Petruševski (Skopje, Macedonia)	2991	Infrared spectra of permanganate anions in potassium perchlorate matrices: vibrational anharmonicity, effective symmetry and vibrational mode mixing effects
A.Z. El-Sonbati, A.A. El-Bindary and A.F. Shoair (Demiatta, Egypt)	3003	Stereochemistry of new nitrogen containing heterocyclic aldehyde. VIII. Spectral and coordination modes of mixed-ligand of novel ruthenium(III) complexes
M.A. El-Kemary, R.A. Khedr (Kafr El-Sheikh, Egypt) and S.E.-D.H. Etaiw (Tanta, Egypt)	3011	Fluorescence decay of singlet excited-state of safranine T and its interaction with ground-state of pyridinthiones in micelles and homogeneous media

N. Benbrahim, M. Sekkal-Rahal (Sidi Bel Abbes, Algeria) and G. Vergoten (Villeneuve d'Ascq, France) 3021 Harmonic dynamics of β-D-fructopyranose

No. 14

Y. Tian-Ming, Y. Zhi-Feng (Shanghai, Nanjing, People's Republic of China), W. Li, G. Jin-Ying, Y. Si-De (Shanghai, People's Republic of China) and S. Xian-Fa (Shanghai, Nanjing, People's Republic of China) 3033 Supramolecular interaction between water-soluble cali[4]xarene and ATP—the catalysis of calix[4]arene for hydrolysis of ATP

P. Venkata Ramana Rao and G. Ramana Rao (Warangal, India) 3039 Vibrational analysis of substituted phenols: Part I. Vibrational spectra, normal coordinate analysis and transferability of force constants of some formyl-, methoxy-, formylmethoxy-, methyl- and halogeno-phenols

A. Kumar, D.K. Rai and S.B. Rai (Varanasi, India) 3067 Optical properties of Er^{3+} ions doped in oxyfluoroborate glass

R. Liu, J. Yang, X. Wu and Z. Lan (Jinan, People's Republic of China) 3077 Resonance double light scattering method for the determination of proteins with morin–CTMAB

D. Gambino, E. Kremer (Montevideo, Uruguay) and E.J. Baran (La Plata, Argentina) 3085 Infrared spectra of new Re(III) complexes with thiourea derivatives

R.L. Prasad, R. Prasad (Varanasi, India), G.C. Bhar (West Bengal, India) and S.N. Thakur (Varanasi, India) 3093 Photoacoustic spectra and modes of vibration of TNT and RDX at CO_2 laser wavelengths

H.P.M. Oliveira, A.J. Camargo, L.G. Macedo, M.H. Gehlen and A.B.F. da Silva (Sao Carlos, Brazil) 3103 Synthesis, structure, electronic and vibrational spectra of 9-(Diethylamino)-benzo(a)phenoxazin-7-ium-5-N-methacrylamide

X. Wang (Hefei, People's Republic of China), Z. Deng (Beijing, People's Republic of China), B. Jin (Hefei, People's Republic of China), Y. Tian (Hefei, Nanjing, People's Republic of China) and X. Lin (Hefei, People's Republic of China) 3113 Study on the spectroelectrochemical properties of S-benzyl-N-(ferrocenyl-1-methyl-metylidene)-dithio-carbazate nickel (II) complex

Z. Jiang, S. Liu and S. Chen (Chongqing, People's Republic of China) 3121 A study of the resonance nonlinear scattering of silver atomic clusters

T.M. Kolev and B.A. Stamboliyska (Sofia, Bulgaria)	3127	Vibrational spectra and structure of benzil and its ^{18}O- and d_{10}-labelled derivatives: a quantum chemical and experimental study
L.C.J. Almeida and P.S. Santos (Sao Paulo, Brazil)	3139	The anomalous solvent effect in the vibrational spectrum of 2,3-diphenyl-cycloprop-2-enone: an experimental and theoretical investigation
M.R.V. Sahyun (Eau Claire, WI, USA)	3149	Hyper-Rayleigh scattering (HRS) spectroscopy applied to nanoparticulate TiO_2
M. Isabel Pais da Silva, F. Lins da Silva (Rio de Janeiro, Brazil) and C.A. Téllez S. (Niteroi, Brazil)	3159	FT-infrared band analysis and temperature programmed dessorption for the Y, L and ferrierite zeolites
G.G. Mohamed, M.A. Zayed and N.E.A. El-Gamel (Giza, Egypt)	3167	Thermal and kinetic studies on solid complexes of 2-(2-benzimidazolylazo)-4-acetamidophenol with some transition metals
W. Shao-Yi and Z. Wen-Chen (Chengdu, Shenyang, China)	3179	Investigations of the g factors and hyperfine structure parameters for Er^{3+} ion in zircon-type compounds
R.L. Carter (Boston, MA, USA)	3185	Raman spectra of $(NH_4)_3ZnCl_4NO_3$ and $(ND_4)_3ZnCl_4NO_3$ between 295 and 60 K
H.H.J. de Jongh (Wageningen, Zeist, The Netherlands) and M.B.J. Meinders (Wageningen, The Netherlands)	3197	Proteins at air–water interfaces studied using external reflection circular dichroism
P. Venkata Ramana Rao and G. Ramana Rao (Warangal, India)	3205	Vibrational analysis of substituted phenols: Part II. Transferability of valence force constants
S.M. Yarmoluk, S.S. Lukashov, M.Y. Losytskyy (Kiev, Ukraine), B. Akerman (Gothenburg, Sweden) and O.S. Kornyushyna (Salt Lake City, UT, USA)	3223	Interaction of cyanine dyes with nucleic acids: XXVI. Intercalation of the trimethine cyanine dye Cyan 2 into double-stranded DNA: study by spectral luminescence methods